



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/664,453	09/18/2003	Nipun Gopaldas Gupta	285.069	4360
7590	07/24/2006		EXAMINER	
Charles A. Muserlian Muserlian, Lucas and Mercanti 475 PARK AVENUE SOUTH New York, NY 10016				JIANG, CHEN WEN
		ART UNIT	PAPER NUMBER	3744

DATE MAILED: 07/24/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/664,453	GUPTA, NIPUN GOPALDAS	
	Examiner	Art Unit	
	Chen-Wen Jiang	3744	

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 26 January 2005.
2a) This action is FINAL. 2b) This action is non-final.
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1-6 and 8-13 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) Claim(s) _____ is/are allowed.
6) Claim(s) 1-6 and 8-13 is/are rejected.
7) Claim(s) _____ is/are objected to.
8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on 18 September 2003 is/are: a) accepted or b) objected to by the Examiner.

 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All b) Some * c) None of:

1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. ____.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) Notice of References Cited (PTO-892)
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date ____.

4) Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____ .

5) Notice of Informal Patent Application (PTO-152)

6) Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1,2,3,4,5,6,8 and 13 are rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Nishizawa (JP 2001050600).

Nishizawa discloses an evaporation type condenser. English translation (machine) is provided for Applicant. Referring to Fig. 1, Drain water condensing on the surface of the evaporator 50 is collected in a drain pan 74 and is sent out to the condenser 54 by a drain pump 82. The drain water is sprayed over the condenser 54 from a spray unit 88. Drain pan 74 and reservoir 76 are associated with the evaporator 50 and condenser 54, respectively. A split air conditioning system consisting of an indoor evaporator unit 50 having a water drain 74,86 extending from the evaporator coil and an outdoor condenser unit including a compressor 52 and a condenser coil 54, characterized in that at least a portion of the water flowing through the water drain 74,80 of the indoor unit is lead led to the condenser coil of the outdoor unit for cooling of the condenser coil.

3. Claims 1,2,3,5,6,9,10 and 12 are rejected under 35 U.S.C. 102(b) as being anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Holstein et al. (U.S. Patent Number 6,318,108).

Holstein et al. disclose a self-washing and cool coil for air conditioner. Referring to Figs.1,2,3 and 10, the air conditioning system includes an exterior condenser having a heat exchange coil 18. Spray head 22 on the condenser is arranged to spray water from a water supply onto the heat exchange coil. A control device periodically energizes the water supply whereby water is supplied to the sprayhead and onto the exchange coil to cool the coil. The water supply may comprise a condensate reservoir and pump 14 assembly, and conduit for delivery of condensate from the drain of an interior evaporator to the reservoir (water flowing from the water drain 12 of the indoor unit 10 to lead to the outside coil 18). Alternatively, the water supply may comprise tap water under pressure. When condensate is used, tap water under pressure may serve as a supplemental supply to the reservoir. An adjustable flow-restricting device 62 is installed on the water supply line 54. The conduit between the reservoir and the sprayhead are sealed and the sprayhead 22 is perforated.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nishizawa (JP 2001050600) or Holstein et al. (U.S. Patent Number 6,318,108).

The O and D shaped condenser elements as art recognized equivalents and commercial available, it would have been obvious to one of ordinary skill in the exercise art to substitute one for other. In re Fout, 675 F.2d 297, 301, 213 USPQ 532, 536 (CCPA 1982).

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chen-Wen Jiang whose telephone number is (571) 272-4809. The examiner can normally be reached on Tuesday-Friday from 8:00 to 6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Denise Esquivel can be reached on (571) 272-4808. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Chen-Wen Jiang
Primary Examiner

